

Price list for standart products of «eEFECAN» for Representatives 2024



COMPONENTS USED IN THE LINE

Electric Components	: Schneider, Delta, Siemens,			
Electric Motors	: Volt, Gamak, Miksan -Turkey			
Reductur	: Yılmaz, Polat, Toba			
Burner	: Baltur, Riello, Ecoflam– Italy.			
Exchanger pipes	: Borusan mannesman			
Insulation material	: İzocam, Rockwool, Özpor			
Ventilators	: Matech, İncircioğlu ,Dündar			
Filter	: Donaldson, AAF , Herding			
Antistatic PVC material	: Simona – Germany			
Pumps, Mech. Gaskets	: Standart,Ebara, Burgmann			
Nozzles	: Lechler, Suiro , Mitsuda			
Valves	: Burçelik, Asteknik, Ayvaz			
Exchanger	: Alfa Laval, Alarko, Ekin			
Pneumatic materials	: Smc, Pvd, Bluetech			
Wet paint equipment	: Devilbiss , Ransburg , Sames Kremlin			

*EFECAN, reserves the right to choose equivalent brands and equivalent products according to market conditions.



Tel: 0232 461 8771

www.efecanser.com • efecan@efecanser.com

Kemalpaşa OSB Mah. İzmir Cd. No: 89/1 35090 Kemalpaşa/İzmir

POWDER BOOTH FILTER TYPE (FİLTRELİ TİP KABİN)

PRODUCT CODE	Width mm	Height mm	Depth mm	Capacity m ³ /h	Capacity kW	Quantity of filter pcs.
EFECAN FK03	2150	2200	1800	3500	3	3
EFECAN FK04	2600	2200	1800	4000	3	4
EFECAN FK05	3000	2250	2000	5000	3	5
EFECAN FK06	3500	1800	2200	2x3500	6	6
EFECAN FK04-D	4500	1800	2500	2x4000	6	8
EFECAN FK05-D	5500	2250	2500	2x5000	8	10



AXIAL CONVEYOR FOR POWDER BOOTH	Width mm	Height mm	Length mm	Adjustable speed of the conveyor m/min.	Capacity kW	Interval between hooks
EFECAN KON012	200	230	12000	1 – 5	0,75	662
EFECAN KON018	200	230	18000	1 – 5	0,75	662
EFECAN KON021	200	230	21000	1 – 5	0,75	662
EFECAN KON024	200	230	24000	1 – 5	0,75	662

ENG-Standart Powder booths are made of black steel thickness 1,5 mm covered by powder paint. Depending on customer desire it can be made of stainless steel and can be produced in different sizes according to requirements for extra price. Production time is about 45 workdays after advance payment (Please ask about the production time, because it can change depending on production intensity.)

TUR-Standart Toz kabinleri 1,5 mm kalınlığında siyah sacdan üzeri toz boya ile kaplanmıştır. Müşteri isteğine bağlı olarak paslanmaz çelikten üretilebilir ve ihtiyaca göre farklı ebatlarda üretilebilir ve ekstra ücrete tabidir. Üretim süresi ön ödeme yapıldıktan sonra yaklaşık 45 iş günüdür (Üretim yoğunluğuna göre değişiklik gösterebileceğinden lütfen üretim süresini sorunuz.)

OPTIONS: * FİLTRE BOX:**

*****Sieve warehouse (elek depo)**



Tel: 0232 461 8771

www.efecanser.com • efecan@efecanser.com

Kemalpaşa OSB Mah. İzmir Cd. No: 89/1 35090 Kemalpaşa/İzmir

POWDER CURING OVEN
BOX TYPE POWDER CURING OVEN (DIESEL , NATURAL GAS, LPG OR ELECTRICAL HEATING) (TEK KAPI KUTU FIRIN)

PRODUCT CODE	Internal net sizes mm			Termo block Length mm	Heating capacity kW
	Width mm	Height mm	Length mm		
A01 EFE100	1000	1000	1000	-	12
A01 EFE200	1200	1800	2000	-	24
A01 EFE300	1500	1800	3000	920	36
A01 EFE420	1500	1800	4200	920	42
A01 EFE480	1500	1800	4800	920	48
A01 EFE600	1500	1800	6000	920	84
A01 EFE720	1500	1800	7200	920	96



(ENG) Material: Inside galvanized sheet, outside black sheet covered by powder paint. Insulation: 150 mm rockwool. Production time is about 45 work days after advance payment (Please ask about the production time, because it can change depending on production intensity. Depending on customer desire it can be made in different sizes according to requirements for extra price. Trolleys are not included in the given price.

(TUR) Malzeme: İçi galvaniz sac, dışı toz boya kaplı siyah sac. İzolasyon: 150 mm taşyünü. Üretim süresi ön ödeme yapıldıktan sonra yaklaşık 45 iş günüdür (Üretim süresini lütfen sorunuz, çünkü üretim yoğunluğuna göre değişiklik gösterebilir. Müşteri isteğine göre farklı ölçülerde de üretilip ekstra ücrete tabi tutulabilir. Arabalar fiyata dahil değildir)

OPTIONS:

- *** Oven is double door (Fırın çift kapılı olur ise) 1200€
- *** Oven trolley (Fırın arabası): 1700mm , 2800mm , 4000mm , 7000mm
- *** Plc optional (7" Delta)
- *** If the oven is C Rail from the top (Fırın, üstten C Raylı ise)
- *** C rail
- *** C rail Trolley
- *** Carrier pole



Tel: 0232 461 8771

www.efecanser.com • efecan@efecanser.com

Kemalpaşa OSB Mah. İzmir Cd. No: 89/1 35090 Kemalpaşa/İzmir

POWDER CURING OVEN
CURING OVEN WITH AXIAL CONVEYOR ON THE TOP (ELECTRICAL HEATING) (ÜSTTEN KONVEYÖRLÜ KUTU FIRIN)

PRODUCT CODE	Internal net sizes mm			Termo block Length mm	Conveyor length mm	Heating capacity kW or kcal/h
	Width mm	Height mm	Length mm			
A01 EFE300-KON010	1500	1800	3000	920	10730	42
A01 EFE420-KON013	1500	1800	4200	920	13710	48
A01 EFE480-KON016	1500	1800	4800	920	16000	72
A01 EFE600-KON019	1500	1800	6000	920	19160	84
A01 EFE720-KON022	1500	1800	7200	920	22650	96

(ENG) Material: Inside galvanized sheet, outside black sheet covered by powder paint. Insulation: 150 mm rockwool. Production time is about 45 work days after advance payment (Please ask about the production time, because it can change depending on production intensity. Depending on customer desire it can be made in different sizes according to requirements for extra price. Trolleys are not included in the given price. Interval between hooks is 662 mm. Hanging apparatus are not included in the given price.

(TUR) Malzeme: İçi galvaniz sac, dışı toz boyakaplı siyah sac. İzolasyon : 150 mm taşyünü. Üretim süresi ön ödeme yapıldıktan sonra yaklaşık 45 iş günüdür (Üretim yoğunluğuna göre değişiklik gösterebileceğinden lütfen üretim süresini sorunuz. isteğe göre farklı ölçülerde yapılabilir ekstra ücrete tabidir. Arabalar fiyata dahil değildir. Çengeller arası mesafe 662 mm dir. Askı aparatları verilen fiyata dahil değildir.



Tel: 0232 461 8771

www.efecanser.com • efecan@efecanser.com

Kemalpaşa OSB Mah. İzmir Cd. No: 89/1 35090 Kemalpaşa/İzmir